



2022

COOKER APPLIANCES CATALOGUE



Built-In Microwave Oven

BUILT-IN MICROWAVE OVEN



Built-in microwave ovens are nowadays an indispensable appliance in any modern built-in kitchen. They facilitate daily catering and satisfy the growing needs for both tasty and healthy eating for those on-the-go. Equipped with user friendly functions derived from advanced technologies, built-in microwave oven seamlessly integrates into any kitchen, offering perfect cooking experience.



Satisfaction In Many Ways

Suitable For Different Decorations Style


The built-in microwave ovens will perfectly integrate with other Midea kitchen ovens whether inlaid in the cabinet or as stand alone on a shelf.



Aurora Series

Aurora Frameless Built-in Series


Integrated appearance escapes from the conventional design, making it a true masterpiece in your kitchen.



Awarded-design Series

Awarded-design Series

Midea is dedicated to stay at the forefront of innovation by creating solutions that meet and exceed customer expectations.




Retro Series

Retro Line Series

Timeless design is available with either electric or mechanical


Optimum Air Flow

The new design of hot air flow channel from the exhaust lowers down the bottom temperature of the cabinet, which meets the AMK standard (German cabinet temperature standard).



Optimum Hinge

Hinges are the critical component for door structure. We use the manganese-based alloys to strengthen the mechanical properties for the long-lasting durability.



Built-In Microwave Oven



What do the icons mean?

Charts on the following pages contain product information on Midea built-in microwave oven. Generally speaking, Midea products have different functions and characteristics. Icons of the most important functions have been listed directly, for a brief explanation at a glance.

- Control**
 - Mechanical control
 - Electronic control
 - Touch control
- Display**
 - LED display
- Cavity**
 - Stainless steel cavity
 - Turntable
- Cooking Functions**
 - Auto menu
 - 30sec. Express cook
 - Defrost by weight and time
 - Metal tube heater
 - Convection fan
 - Top heater
- Convenience & Safety**
 - Alarm
 - Electric door
 - Clock
 - Kitchen timer
 - Ending signal
 - Cavity light
 - Child safety lock

TC934E3CE

Touch control



- Cavity**
 - 3L
 - Stainless steel cavity
 - Ø345mm glass turntable
- Basic cooking functions**
 - Auto menu 10
 - Defrost by weight
 - Defrost by time
- Cooking convenience and safety**
 - Kitchen timer
 - Add 30 sec
 - Cooking end signal
 - Child safety lock
- Specification**
 - Microwave input (Watt): 1450
 - Microwave output (Watt): 900
 - Cavity dimensions (WxDxH, mm): 406x 390x 216
 - Gross dimensions (WxDxH, mm): 596x 492x 382
 - Package dimensions (WxDxH, mm): 660x 582x 446
 - Gross weight (Net weight) (kg): 23.6/22.7
 - Loading capacity (20°/40°/40°HD): 1.70/3.48/3.60



More options



TG934E3CE



TM934E3CE



Built-In Microwave Oven

TG925H3BK

Touch control



Cavity

25L
Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, mm): 328x 368x 206
Gross dimensions (WxDxH, mm): 594x 403x 382
Package dimensions (WxDxH, mm): 654x 651x 446
Gross weight / Net weight (kg): 2.0/17.6
Loading capacity (20°/40°/40°HD): 2.25/450/640



TG925H3SE

Touch control



Cavity

25L
Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, mm): 328x 368x 206
Gross dimensions (WxDxH, mm): 594x 403x 382
Package dimensions (WxDxH, mm): 654x 651x 446
Gross weight / Net weight (kg): 2.0/17.6
Loading capacity (20°/40°/40°HD): 2.25/450/640



TG925HN6

Touch control



Cavity

25L
Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, mm): 328x 368x 206
Gross dimensions (WxDxH, mm): 594x 403x 382
Package dimensions (WxDxH, mm): 654x 651x 446
Gross weight / Net weight (kg): 2.0/17.6
Loading capacity (20°/40°/40°HD): 2.25/450/640



TG925HS6

Touch control



Cavity

25L
Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, mm): 328x 368x 206
Gross dimensions (WxDxH, mm): 594x 403x 382
Package dimensions (WxDxH, mm): 654x 651x 446
Gross weight / Net weight (kg): 2.0/17.6
Loading capacity (20°/40°/40°HD): 2.25/450/640



TG925H3SD

Touch control



Cavity

25L
Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, mm): 328x 368x 206
Gross dimensions (WxDxH, mm): 594x 403x 382
Package dimensions (WxDxH, mm): 654x 651x 446
Gross weight / Net weight (kg): 2.0/17.6
Loading capacity (20°/40°/40°HD): 2.25/450/640



More options



TG820HN6

AG925B8I

Electronic control



Cavity

25L
Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, mm): 328x 368x 206
Gross dimensions (WxDxH, mm): 595x 400x 388
Package dimensions (WxDxH, mm): 653x 500x 466
Gross weight / Net weight (kg): 2.05/18.5
Loading capacity (20°/40°/40°HD): 1.94/408/408



More options



TG820HS6

Built-In Microwave Oven

TG925BW7

Touch control



Cavity

25L
Stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, m.m): 328x 368x 206
Gross dimensions (WxDxH, m.m): 595x 400x 388
Package dimensions (WxDxH, m.m): 653x 500x 466
Gross weight / Net weight (kg): 20.5 / 18.5
Loading capacity (20°/40°/40°HD): 1.94/408/408



TG925B8B

Touch control



Cavity

25L
Stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, m.m): 328x 368x 206
Gross dimensions (WxDxH, m.m): 595x 400x 388
Package dimensions (WxDxH, m.m): 653x 500x 466
Gross weight / Net weight (kg): 20.5 / 18.5
Loading capacity (20°/40°/40°HD): 1.94/408/408



TG925B8D

Touch control



Cavity

25L
Stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, m.m): 328x 368x 206
Gross dimensions (WxDxH, m.m): 595x 400x 388
Package dimensions (WxDxH, m.m): 653x 500x 466
Gross weight / Net weight (kg): 20.5 / 18.5
Loading capacity (20°/40°/40°HD): 1.94/408/408



AG925B2V

Electronic control



Cavity

25L
Stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, m.m): 328x 368x 206
Gross dimensions (WxDxH, m.m): 595x 400x 388
Package dimensions (WxDxH, m.m): 653x 500x 466
Gross weight / Net weight (kg): 20.5 / 18.5
Loading capacity (20°/40°/40°HD): 1.94/408/408



TG925B8C

Touch control



Cavity

25L
Stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, m.m): 328x 368x 206
Gross dimensions (WxDxH, m.m): 595x 400x 388
Package dimensions (WxDxH, m.m): 653x 500x 466
Gross weight / Net weight (kg): 20.5 / 18.5
Loading capacity (20°/40°/40°HD): 1.94/408/408



AG925BVW

Electronic control



Cavity

25L
Stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, m.m): 328x 368x 206
Gross dimensions (WxDxH, m.m): 595x 400x 388
Package dimensions (WxDxH, m.m): 653x 500x 466
Gross weight / Net weight (kg): 20.5 / 18.5
Loading capacity (20°/40°/40°HD): 1.94/408/408



More options



TG925B8A



AG925BVJ



AG925BV1

Built-In Microwave Oven

AG925B8G

Electronic control



Cavity

25L
Stainless steel cavity
Ø 315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1450
Microwave output (Watt): 900
Cavity dimensions (WxDxH, m.m): 328x 368x 206
Gross dimensions (WxDxH, m.m): 595x 400x 388
Package dimensions (WxDxH, m.m): 653x 500x 466
Gross weight / Net weight (kg): 2.0/1.8/5
Loading capacity (20°/40°/40°HD): 1.94/408/408



TC034B2U

Touch control



Cavity

34L
Stainless steel cavity
Ø 315mm glass turntable

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1550
Microwave output (Watt): 1000
Cavity dimensions (WxDxH, m.m): 351x 358x 249
Gross dimensions (WxDxH, m.m): 595x 468x 388
Package dimensions (WxDxH, m.m): 653x 550x 466
Gross weight / Net weight (kg): 2.5/0.22/0
Loading capacity (20°/40°/40°HD): 1.83/373/375



AC034B8S

Electronic control



Cavity

34L
Stainless steel cavity
Ø 315mm glass turntable

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1550
Microwave output (Watt): 1000
Cavity dimensions (WxDxH, m.m): 351x 358x 249
Gross dimensions (WxDxH, m.m): 595x 468x 388
Package dimensions (WxDxH, m.m): 653x 550x 466
Gross weight / Net weight (kg): 2.5/0.22/0
Loading capacity (20°/40°/40°HD): 1.83/373/375



MG820BW8

Mechanical control



Cavity

20L
Stainless steel cavity
Ø 245mm glass turntable

Cooking convenience and safety

Cooking end signal

Specification

Microwave input (Watt): 1250
Microwave output (Watt): 800
Cavity dimensions (WxDxH, m.m): 295x 314x 218
Gross dimensions (WxDxH, m.m): 595x 343.5x 382
Package dimensions (WxDxH, m.m): 650x 404x 441
Gross weight / Net weight (kg): 1.7/0/15.0
Loading capacity (20°/40°/40°HD): 2.50/505/605



MG820B2Q

Mechanical control



Cavity

20L
Stainless steel cavity
Ø 245mm glass turntable

Cooking convenience and safety

Cooking end signal

Specification

Microwave input (Watt): 1250
Microwave output (Watt): 800
Cavity dimensions (WxDxH, m.m): 295x 314x 218
Gross dimensions (WxDxH, m.m): 595x 343.5x 382
Package dimensions (WxDxH, m.m): 650x 404x 441
Gross weight / Net weight (kg): 1.7/0/15.0
Loading capacity (20°/40°/40°HD): 2.50/505/605



AG820B7T

Electronic control



Cavity

20L
Stainless steel cavity
Ø 245mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1250
Microwave output (Watt): 800
Cavity dimensions (WxDxH, m.m): 295x 314x 218
Gross dimensions (WxDxH, m.m): 595x 343.5x 382
Package dimensions (WxDxH, m.m): 650x 404x 441
Gross weight / Net weight (kg): 1.7/0/15.0
Loading capacity (20°/40°/40°HD): 2.50/505/605



More options



AG925B8Z

More options



TC034B2D

Built-In Microwave Oven

AG820B8Q

Electronic control



Cavity

20L
Stainless steel cavity
Ø245mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (Watt): 1250
Microwave output (Watt): 800
Cavity dimensions (WxDxH, m.m): 295x 314x 218
Gross dimensions (WxDxH, m.m): 595x 343.5x 382
Package dimensions (WxDxH, m.m): 650x 404x 441
Gross weight / Net weight (kg): 17.0/15.0
Loading capacity (20°/40°/40°HD): 2.50/505/605



More options

AG820B3AT

Electronic control



Cavity

20L
Stainless steel cavity
Ø245mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal

Specification

Microwave input (Watt): 1250
Microwave output (Watt): 800
Cavity dimensions (WxDxH, m.m): 295x 314x 218
Gross dimensions (WxDxH, m.m): 595x 343.5x 382
Package dimensions (WxDxH, m.m): 650x 404x 441
Gross weight / Net weight (kg): 17.0/15.0
Loading capacity (20°/40°/40°HD): 2.50/505/605



AG820B8N



MG820B59



AG820B7V



Compact Oven



20% Faster* with microwave assisted

Compared with traditional oven, compact oven with microwave assisted in cooking can significantly reduce cooking time.




Optimum Hot Air Circulation

Through the concealed fan heater, hot air is evenly distributed throughout the cavity without cold spot.

Top and Bottom Heaters

Top and bottom heaters enable users to achieve better baking results. With the additional enamel baking trays, pizzas are crispy and tasty.




Compact Oven

Healthy Cuisine with steam cooking

Unlike conventional cooking, the direct and immediate heat exchange retains most nutrition (vitamin, protein, fiber, etc.) in food, while significantly reduces the excessive fat and oil.

Healthy cuisine is achievable with steam cooking.

Efficiency cooling system



Stainless Steel Interior
Anti-rust, stainless steel interior provides long-lasting life span and stylish appearance.



LED Displays
LED display offers great resolution and contrast level which makes reading clear and easy.



Soft-touch Water Tank
Simply touch the hidden water tank and it will open softly, providing elegant and effortless operation without single detail left.


Optimum Hinge

Hinges are the critical component for door structure. Our compact oven use the manganese-based alloys to strengthen the mechanical properties for the long-lasting durability.

Compact Oven

TQN50E4AQ

LED display +Touch Control
45cm Compact Oven with Steam
Black glass with steel trim



Cavity

50L
Enamel cavity

Door

2-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Steam Cooking
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Deep Enamel baking tray x1
Combination grid x 1
Steam tray
Meat probe (optional)

Specification

Oven temperature range: 50-250°C
Steam temperature range: 3.5-100°C
Dough proofing temperature range: 30-45°C
Microwave input (Watt): ~
Microwave output (Watt): ~
Oven max. power (Watt): 3000
Oven dimensions (WxDxH, m.m): 595x 568x 454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

TV950E4CQ

LED display +Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

50L
Enamel cavity

Door

3-layer glass door plate
Removable door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Shallow Enamel baking tray x1
Combination grid x 1
Deep enamel baking tray (optional)
Pan grid (Optional with deep enamel baking tray)

Specification

Oven temperature range: 50-250°C
Steam temperature range: ~
Dough proofing temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 3000
Oven dimensions (WxDxH, m.m): 595x 568x 454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

TV950E4CH

LED display +Touch Control
45cm Compact Oven with Steam
Black glass with steel trim



Cavity

50L
Enamel cavity

Door

3-layer glass door plate
Removable door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Shallow Enamel baking tray x1
Combination grid x 1
Deep enamel baking tray (optional)
Pan grid (Optional with deep enamel baking tray)

Specification

Oven temperature range: 50-250°C
Steam temperature range: ~
Dough proofing temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 3000
Oven dimensions (WxDxH, m.m): 595x 568x 454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

TV950E4AQ

LED display +Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

50L
Enamel cavity

Door

3-layer glass door plate
Removable door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Shallow Enamel baking tray x1
Combination grid x 1
Deep enamel baking tray (optional)
Pan grid (Optional with deep enamel baking tray)

Specification

Oven temperature range: 50-250°C
Steam temperature range: ~
Dough proofing temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 3000
Oven dimensions (WxDxH, m.m): 595x 568x 454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

Compact Oven

TYN50E4EQ

LED display +Touch Control
45cm Compact Oven with Pyrolytic Self-cleaning
Black glass with steel trim



Cavity

50L
Enamel cavity

Door

4-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Pyrolytic Self-cleaning
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Deep Enamel baking tray x1
Combination grid x1

Specification

Oven temperature range: 50-250°C
Steam temperature range: -
Dough proving temperature range: 30-45°C
Microwave input (Watt): -
Microwave output (Watt): -
Oven max. power (Watt): 3000
Oven dimensions (WxDxH, m.m): 595x 568x 454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9/6/204/204

TF944E4MB

2 Knob+Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

44L
Stainless steel cavity

Door

3-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Enamelled Turntable x 1
Wire rack x 1

Specification

Oven temperature range: 50-230°C
Steam temperature range: -
Dough proving temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 2300
Oven dimensions (WxDxH, m.m): 595x568x454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9/6/204/204

More options



TYN50E4CQ



TYN50E4AQ

TF944EUS

2 Knob+Touch Control
45cm Compact Oven with Microwave
Black glass



Cavity

44L
Stainless steel cavity

Door

3-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Enamelled Turntable x 1
Wire rack x 1

Specification

Oven temperature range: 50-230°C
Steam temperature range: -
Dough proving temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 2300
Oven dimensions (WxDxH, m.m): 595x568x454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9/6/204/204

TF944EU5

2 Knob+Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

44L
Stainless steel cavity

Door

3-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Enamelled Turntable x 1
Wire rack x 1

Specification

Oven temperature range: 50-230°C
Steam temperature range: -
Dough proving temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 2300
Oven dimensions (WxDxH, m.m): 595x568x454
Package dimensions (WxDxH, m.m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9/6/204/204

Compact Oven

TF944E1S

LED display +Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

44L
Stainless steel cavity

Door

3-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories


Enamelled Turntable 1
Wire rack 1

Specification

Oven temperature range: 50-230°C
Steam temperature range: -
Dough proofing temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 2300
Oven dimensions (WxDxH, m m): 595x568x454
Package dimensions (WxDxH, m m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

TF944EU8

2 Knob+Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

44L
Stainless steel cavity

Door

3-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Enamelled Turntable 1
Wire rack 1

Specification

Oven temperature range: 50-230°C
Steam temperature range: -
Dough proofing temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 2300
Oven dimensions (WxDxH, m m): 595x568x454
Package dimensions (WxDxH, m m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

More options



TF944EZ8



TF944EG9

TF944E6HQ

LED display +Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

44L
Stainless steel cavity

Door

3-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Enamelled Turntable 1
Wire rack 1

Specification

Oven temperature range: 50-230°C
Steam temperature range: -
Dough proofing temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 2300
Oven dimensions (WxDxH, m m): 595x568x454
Package dimensions (WxDxH, m m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

More options

TF944ET3

LED display +Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

44L
Stainless steel cavity

Door

3-layer glass door plate
Removable door
Full glass inner door

Cooking functions

3D convection
Defrost
Combi-cooking
Multi-function
Fast Preheating (4 min to 180°C)

Cooking convenience and safety

Easy clean
Electronic oven clock timer
Safety switch off
Electronic child safety lock
Forced cooling system

Accessories

Enamelled Turntable 1
Wire rack 1

Specification

Oven temperature range: 50-230°C
Steam temperature range: -
Dough proofing temperature range: 30-45°C
Microwave input (Watt): 1650
Microwave output (Watt): 900
Oven max. power (Watt): 2300
Oven dimensions (WxDxH, m m): 595x568x454
Package dimensions (WxDxH, m m): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9.6/20.4/20.4

More options



TF944E2HQ



TF944ET3

Compact Oven

TPN36T4AE

LED display +Touch Control
45cm Compact Oven with Steam
Black glass



Cavity

34L
Stainless steel cavity

Door

2-layer glass door plate

Cooking functions

Defrost
Pure Steam Cooking

Cooking convenience and safety

Easy clean
Flatbed
Electronic oven clock timer
Electronic child safety lock

Accessories

Square Glass Pan x1

Specification

Oven temperature range: ~
Steam temperature range: 35~100°C
Dough proofing temperature range: 30~45°C
Microwave input (Watt): ~
Microwave output (Watt): ~
max. power (Watt): 2200
Oven dimensions (WxDxH, mm): 595x437x454
Package dimensions (WxDxH, mm): 700x 670x 583
Loading capacity (20°/40°/40°HD): 9/6/204/204

TR936T6H

LED display +Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

34L
Stainless steel cavity

Door

2-layer glass door plate

Cooking functions

3D convection
Defrost
Steam cooking
Combi-cooking
Multi-function
Fast Preheating (7 min to 230°C)

Cooking convenience and safety

Easy clean
Flatbed
Electronic oven clock timer
Electronic child safety lock

Accessories

Square Glass Pan x1
Square Grill Rack x1

Specification

Oven temperature range: 35~230°C
Steam temperature range: 50~100°C
Dough proofing temperature range: 35°C
Microwave input (Watt): 1550
Microwave output (Watt): 900
max. power (Watt): 3300
Oven dimensions (WxDxH, mm): 595x525x454
Package dimensions (WxDxH, mm): 700x 670x 550
Loading capacity (20°/40°/40°HD): 9/6/204/204

TR936T1T

LED display +Touch Control
45cm Compact Oven with Microwave
Black glass with steel trim



Cavity

34L
Stainless steel cavity

Door

2-layer glass door plate

Cooking functions

3D convection
Defrost
Steam cooking
Combi-cooking
Multi-function
Fast Preheating (7 min to 230°C)

Cooking convenience and safety

Easy clean
Flatbed
Electronic oven clock timer
Electronic child safety lock

Accessories

Square Glass Pan x1
Square Grill Rack x1


Specification

Oven temperature range: 35~230°C
Steam temperature range: 50~100°C
Dough proofing temperature range: 35°C
Microwave input (Watt): 1550
Microwave output (Watt): 900
max. power (Watt): 3300
Oven dimensions (WxDxH, mm): 595x525x454
Package dimensions (WxDxH, mm): 700x670x550
Loading capacity (20°/40°/40°HD): 9/6/204/204



Compact Oven

WARMING DRAWER



Easy open/close

Everyone can now open and close the drawer by simply touching the door surface - even with their elbows.



Consistent warming & low temperature cooking

Keep your dishes warm at the perfect serving temperature, or pre-heat the tableware to pleasant touch, our warming drawer will do all these for you. With advanced temperature control system, the warming drawer can also act as an cooking appliance, for low temperature cooking.



Safety

Your safety is always our priority. All components of the warming drawer are hidden, preventing potential risk; heating power will automatically switch off when the drawer is open, and turn on when it is closed.

TCN14J6D

LED display +Touch Control



Cavity

22L

Functions

Dough proving
Gentle cooking (slow-cooking)
Yoghurt fermentation
Thawing (Defrost & S often)
Keep warm
Pre-warming & tableware sterilizing

Specification

Temperature range: 40-80°C
Maximum weight capacity: 25kg
Cavity dimensions (WxDxH, mm): 548x 420x 97
Gross dimensions (WxDxH, mm): 595x 561x 141
Package dimensions (WxDxH, mm): 705x 675x 210
Loading capacity (20°/40°/40°HD): 2.64/5.61/6.12
Gross weight/Net weight (kg): 2.1.0/18.0

TCN14J6N

LED display +Touch Control



Cavity

22L

Functions

Dough proving
Gentle cooking (slow-cooking)
Yoghurt fermentation
Thawing (Defrost & S often)
Keep warm
Pre-warming & tableware sterilizing

Specification

Temperature range: 40-80°C
Maximum weight capacity: 25kg
Cavity dimensions (WxDxH, mm): 548x 420x 97
Gross dimensions (WxDxH, mm): 595x 561x 141
Package dimensions (WxDxH, mm): 705x 675x 210
Loading capacity (20°/40°/40°HD): 2.64/5.61/6.12
Gross weight/Net weight (kg): 2.1.0/18.0

Compact Oven


Flexibly combined
Magically redefined
BUILT-IN COOKING APPLIANCE SET




COMBINATION FLEXIBILITY

Midea solutions enable customizable spatial arrangement in which every way suits space or design style: horizontal, vertical, T-shaped.


a. Compact Oven with Microwave + Warming Drawer




b. Compact Oven with Microwave + Compact Oven + Steam Oven + Oven




c. Microwave Oven + Compact Oven + Warming Drawer



d. Microwave Oven + Compact Oven + Steam Oven + Warming Drawer



e. Compact Oven with Microwave + Steam Oven + Warming Drawer



Your choice Your style

