



2022

DISH WASHER APPLIANCES CATALOGUE



60CM Free Standing Dishwasher



Energy Efficiency Class: A++
Noise level: 49 dB
Capacity (Place Settings): 14
3 Baskets
3/6/9/12 Hours Delay Start
Half Load Function
220~240V/50Hz

6 Washing Programs: Intensive, Normal, Eco, Glass, 90Min, Rapid

1 special options: Extra Drying

Product Dimension(W*D*H)mm: 598*600*845
Package Dimension((W*D*H)mm: 645*645*884
Loading Quantity (20'/40'/40'HQ): 54/108/162

60CM Free Standing Dishwasher



Energy Efficiency Class: A++

Noise level: 49 dB

Capacity (Place Settings): 14

3 Baskets

Child Lock

1-24 Hours Delay Start

Alternative Wash

220~240V/50Hz

8 Programs: Auto, Intensive, Normal, Eco, Glass, 90Min, Rapid, Soak

2 Functions: Extra Drying, Power Wash

Product Dimension(W*D*H)mm: 598*600*845



Package Dimension((W*D*H)mm: 645*645*884

Loading Quantity (20'/40'/40'HQ): 54/108/162

Function

DELAY START

Feel free to wash your dishes whenever you want. With 24 hours delay start you can pre-select your desired washing time with the maximum flexibility. Day time, working hours or even night time washing is now easy and selectable at your convenience.



Function

HALF LOAD

With the distributed half load option selected, the dishwasher can run with reduced water and energy consumption. Dirty plates can be freely put in all the baskets of the dishwasher and be cleaned at any time. Wait for a fully loaded machine to start cleaning is not necessary with Midea!



Full wash with less water and
Energy consumption



ENERGY
SAVINGS

WATER
SAVINGS




Function

Alternative Wash

Clean wherever you want

Upper, lower or both, zone wash provides targeted cleaning in the selected wash zone, so no more waiting to get a full dishwasher load to run a cycle.



-  Only upper basket loaded selected (middle spray arm works)
-  Only lower basket loaded selected (bottom spray arm works)
-  Fully loaded selected (both spray arms work)



60CM Slim Cooker Hood



FEATURES

- + Stainless Steel
- + Push Button
- + Three Speeds
- + 1 x 1.5(W) LED light
- + Charcoal Cotton
- + Cold rolled Plate + Three Layers Aluminum Grease Filter
- + Exterior or Recirculating Venting
- + CB Certificate

SPERCIFICATIONS

- + Maximum air flow (m³/h): 180
- + Maximum motor power (W): 100

DIMENSIONS

- + Product (W x D x H, mm): 600 x 440 x 80
- + Package (W x D x H, mm): 640 x 125 x 495
- + Loading (20'/40'/40HQ): 780/1578/1747

60CM Stainless Gas Hob

FEATURES

220-240V 50-60Hz 2W
Total Heat Input: 8.1 kw (SABAF)
Burners: Sabaf
Valve: Chant
Width*Depth : 590*500
Installation Size : 560*480
Pan Support : Cast Iron
Knob Material : Plastic
Top Plate : Stainless Steel
Gas Type : LPG or NG
Flame Failure Device

Triple ring/Wok burner : 3.6kw (SABAF) x1 Semi
rapid Burner: 1.75kw x 2
Auxiliary Burner: 1.0kw x 1

DIMENSIONS

+ Product (W x D x H, mm): 590 x 500 x 95
+ Package (W x D x H, mm): 648 x 559 x 162
+ Loading (20'/40'/40HQ): 518/1050/1200



British Plug



PK04 Knob

60CM Glass Gas Hob

FEATURES

220
240V 50 60Hz 2W
Total Heat Input: 8.1 kw (SABAF)
Burners: Sabaf
Valve: Chant
Width*Depth: 600*510
Installation Size: 560*480
Pan Support: Cast Iron
Knob Material: Plastic
Top Plate: Glass
Gas Type: LPG or NG
Flame Failure Device

Triple ring/Wok burner : 3.6kw (SABAF) x1 Semi
rapid Burner: 1.75kw x 2
Auxiliary Burner: 1.0kw x 1

DIMENSIONS

+ Product (W x D x H, mm): 600 x 510 x 110
+ Package (W x D x H, mm): 648 x 559 x 162
+ Loading (20'/40'/40HQ): 518/1050/1200



British Plug



PK04 Knob