



2022 MICROWAVE APPLIANCES CATALOGUE



Product Advantages



Sleek, smooth and stylish New handle design

Our newly designed handle decorates your kitchen with sleek and timeless look

Product Advantages

The Cooktop

IntelliKlean® Coktop Panel

Our advanced coating material that makes cleaning even easier, and helps remain a long-lasting new-looking appliance.

Breezy Cleaning

Invented and patented by Intelliklean® is a cutting-edge coating material that aims to offer a unprecedented cleaning experience. Formed by dense molecule, the material protects the surface reliably. Grease and residue can hardly stay. Simply clean the surface wit a damp cloth, no arduous scrubbing and abrasive cleaners required.



Elegant, Efficient And Effortless New Knobs Style

Newly-designed knobs can be rotated with the decorating ring simultaneously, or on their own. Heat resistance, durable, and elegant.

Lasting New-look

With outstanding chemical stability, IntelliKlean®coating material ensures the surface of the freestanding oven lasting shiny-looking, without corrosion or getting discolored even after long-time usage and cleaning.

Stainless steel panel with IntelliKlean®



Assuring Safety

Intelliklean®oating material has food-graded safety, which passes the safety regulation of FDA, LFGB and GB. Remarkably stable chemistry property can easily withstand temperature that is over 500°C with no harmful substance discharge.







US LFGB



Product Advantages

The Cooktop

Powerful

Triple crown burner 5kW triple crown burner with advanced flame :

The higher power triple crown burner cooks for rapidly without compromising their nutritional. This time, we offer maximum 5kW power burner can boil up 3 liter of water in just 7 minutes*!

Enjoy the advanced flame system in an aesthet way: the flame floats just like a stream running, in return remarkably improves the burning effc by concentrating the heat.

8.3%* REDUCED





Safe Flame failure protection

The cooktop secures your safety with flame failure protection device. If the flame is accidently extinguished, the device will block the gas flow to individual burner.



Easy Electronic ignition

Electronic ignition allows you to use only one hand for easy igniting, with remarkable 99.9% success rate. Detection device assures burner gets ignited once gas flows out.





Product Advantages

The Oven

Effortless, spotless Enamel cavity

Enamel cavity has a smooth, contemporary grey look. Its glazed surface requires minimum cleaning effort. Don't forget it also owns outstanding scratch-resistant and anti-bacterial abilities.

Spacious Large cavity

The freestanding ovens are designed to provide increased capacity to accommodate even the largest dishes.

Evenly, tasty Convection fan

The efficient heating fan enables uniform cavity heating throughout.





Customized Designs for Localized Desire

VENUS FREESTANDING OVEN

Venus freestanding oven is a new platform that is customized for Latino market. Based on our years of research on the local markets, we carefully improved every details to meet the specific needs of our customers, for the sake of offering a best cooking solution.



Extended Cooktop Area

Extended cooking area on the cooktop allows you to prepare multiple dishes at the same time

Powerful Burners Perfectly Arranged

Equipped with up to 6 powerful burners that offers flexible power levels, Venus considerately positioned them with rational arrangement: no tangled pots and pans, just handy cookware.





Product | VENUS

Enlarged Oven Capacity

Larger oven capacity offers more possibilities for cooking, or storage. Satisfying even the larger family.



Dual-layer Oven Door

The dual-layer oven door can be easily removed for better cleaning. The glass can be separated by only bare hands, making cleaning a breeze.





Venus Freestanding Oven Lineup



30SMG5G062

- Mechanical control
- Gas oven
- 5 gas burners
- Two-hand electric ignition
- Glass cover plate Oven thermostat Fold down drawer
- Alloy + plastic handle



30SMG5G068

- Mechanical control
- Gas oven 5 gas burners
- Two-hand electric ignition Glass cover plate Oven thermostat
- Fold down drawer
- Alloy handle



30SMG6G062

- Mechanical control
- Gas oven
- 6 gas burners
- Two-hand electric ignition Backsplash
- Oven thermostat (optional)Fixed drawerAlloy + plastic handle



30SMG6G068

- Mechanical control
- Gas oven
- 6 gas burners
- Two-hand electric ignition Backsplash
- Oven thermostat (optional)Fixed drawer
- Alloy handle



Product | VENUS









Model	30SMG5G062	30SMG5G068	30SMG6G062
Platform	30 inch: SA	30 inch: SA	30 inch: SA
Color	Stainless steel+ Silver	Stainless steel+ Silver	Stainless steel+ Silver
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/5	Gas burner/5	Gas burner/6
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	•	•	0
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	•/-/-	●/-/-	-/-/●
Full glass door	•	•	•
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	•/-/-	●/-/-	O/-/-
Pull out drawer/fixed drawer/fold down drawer	-/-/●	-/-/●	-/●/-
Adjustable feet	•	•	•
Oven lamp	2	2	2
Oven thermostat	•	•	0
Handle material	Alloy + Plastic	Alloy	Alloy + Plastic
Accessories			
Rotisserie spit	•	•	-
Technical data			
Product dimensions in mm (WxDxH)	767*674*936.5	767*674*936.5	767*674*936.5
Packing dimensions in mm (WxDxH)	820*722*974.6	820*722*974.8	820*722*974.5
Loading quantity (40HQ)	120	120	120

Model	30SMG6G068
Platform	30 inch: SA
Color	Stainless steel+ Silver
Control types	Mechanical control
Cooktop	
Hob type/No. of burner	Gas burner/6
Ignition	Two-hand electric ignition
Oven	
Oven type	Gas oven
Cavity	
Enamel interior	•
Molded rack support	•
Multi-rack support	•
Cast iron pan supports	0
Cover plate & Oven door	
Glass cover plate/metal cover plate/backsplash	-/-/●
Full glass door	•
Removable door plate	•
Convenience and safety	
Mechanical timer/eltectric timer/digital timer	0/-/-
Pull out drawer/fixed drawer/fold down drawer	-/ ● /-
Adjustable feet	•
Oven lamp	2
Oven thermostat	0
Handle material	Alloy
Accessories	
Rotisserie spit	-
Technical data	
Product dimensions in mm (WxDxH)	767*674*936.5
Packing dimensions in mm (WxDxH)	820*722*974.7
Loading quantity (40HQ)	120





Product | European Style Free Standing Oven





20DME4H109

- Mechanical control
 Electric oven
 4 electric hotplates
 Multifunction oven with 9 heating modes
 Enamel door
 Pull out drawer
 Alloy handle



20DME4R109

- Mechanical control
 Electric oven
 4 ceramic hobs
 Multifunction oven with 9 heating modes
 Enamel door
 Pull out drawer
 Alloy handle



24DME4I113

- Mechanical control
 Electric oven
 4 inductions
 Multifunction oven with 9 heating modes
 Enamel door
 Pull out drawer
 Alloy handle



24DME4R109

- Mechanical control
 Electric oven
 4 ceramic hobs
 Multifunction oven with 9 heating modes
 Enamel door
 Pull out drawer
 Alloy handle



24DAE4I113

- ZHDALEHING
 Electrical control
 Electric oven
 4 inductions
 Multifunction oven with 9 heating modes
 Full glass door
 Pull out drawer
 Alloy handle



24DME4H109

- Mechanical control
 Electric oven
 4 electric hotplates
 Multifunction oven with 9 heating modes
 Enamel door
 Pull out drawer
 Alloy handle



24DAE3I109

- 24DAESH09

 Electrical control

 Electric oven

 3 Inductions

 Multifunction oven with 11 heating modes

 Enamel door

 Fixed drawer

 Alloy handle

 Pyrolytic-Self Cleaning



24EME4R106

- Alloy handle



Product | European Style Free Standing Oven

European Style Freestanding Oven Lineup



24DMS4G113

- Mechanical control
 Electric oven
 4 gas burners
 Multifunction oven with 9 heating modes
 Enamel door
 Pull out drawer
 Alloy handle



36QME5RP48

- SOUNESKY-46

 Mechanical control

 Electric oven

 5 ceramic hobs

 Oven thermostat

 Multifunction oven with 9 heating modes

 Full glass door

 Fold down drawer

 Alloy handle



36QMS5GP48

- Mechanical control
 Electric oven
 5 gas burners
 Cooktop flame extinguish protection
 One-hand electric ignition
 One-hand electric ignition
 Went thermostat
 Multifunction oven with 9 heating modes
 Enamel door
 Fold down drawer
 Alloy handle



36QMS5GP62

- Mechanical control

 Electric oven

 5 gas burners

 Cooktop flame extinguish protection
 One-hand electric ignition
 One-hand electric ignition
 Oven thermostat
 Multifunction oven with 9 heating modes
 Full glass door
 Fold down drawer
 Alloy handle



36QMG5G048

- 36QMG5G048

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 One-hand electric ignition
 Oven thermostat
 Full glass door
 Fold down drawer
 Alloy handle



36QMG5GP48

- 36QMG5GP48

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 One-hand electric ignition
 Oven thermostat
 Full glass door
 Fold down drawer
 Alloy handle



36QTE4IP48

- SOUTE4IP48

 Touch control
 Electric oven
 4 inductions
 Oven thermostat
 Multifunction oven with 9 heating modes
 Full glass door
 Fold down drawer
 Alloy handle









Platform	50*60: EU	50*60: EU
Color	White	White
Control types	Mechanical control	Mechanical control
Cooktop		
Hob type/No. of burner	Electric hotplates/4	Electric hotplates/4
Ignition	-	-
Oven		
Oven type	Electric oven	Electric oven
Cavity		
Enamel interior	•	•
Molded rack support	•	•
Multi-rack support	•	•
Cast iron pan supports		
Catalytic liners (irreplaceable)	0	0
Cover plate & Oven door		
Glass cover plate/backsplash	•	•
Enamel door	-	
Full glass door	•	•
Removable door plate		
Convenience and safety		
Mechanical timer/eltectric timer/digital timer	•/-/-	•/-/-
Pull out drawer/fixed drawer/flap down drawer	•/-/-	•/-/-
Adjustable feet	•	•
Oven lamp	•	•
Oven thermostat		
Cooktop flame extinguish protection		
Handle material	Alloy	Alloy
Accessories		
Enamel baking tray	0	0
Rotisserie spit	•	•
Technical data		
Oven dimensions in mm (WxDxH)	500x650x850	495*650*850
Packing dimensions in mm (WxDxH)	540x700x910	540*700*910
Loading quantity (20'/40'/40 HQ)	66/ 142/ 190	66/142/190

Model 20DME4H109 20DME4H109







Cooktop	and an action		
Control types	Electrical control	Mechanical control	Mechanical control
Hob type/No. of burner	Induction/4	Electric hotplates/4	Induction/4
Ignition	-	- Licetric Hotpidtes)-4	- modeliony-
ignition			
Oven			
Oven type	Electric oven	Electric oven	Electric oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports			
Catalytic liners (irreplaceable)	0	0	0
Cover plate & Oven door			
Glass cover plate/backsplash		•	•
Enamel door	•	-	
Full glass door	•	•	•
Removable door plate			
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	-/•/-	•/-/-	•/-/-
Pull out drawer/fixed drawer/flap down drawer	•/-/-	•/-/-	•/-/-
Adjustable feet	•	•	•
Oven lamp	•	•	•
Oven thermostat			
Cooktop flame extinguish protection		-	
Handle material	Alloy	Alloy	Alloy
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Oven dimensions in mm (WxDxH)	600*600*850	600*600*850	600*600*850
Packing dimensions in mm (WxDxH)	640*700*910	640*700*910	640*700*910
		54/108/150	54/108/150



Product | European Style Free Standing Oven



Model

Platform








Control types	Mechanical control	Mechanical control	Electrical control
Cooktop			
Hob type/No. of burner	Ceramic hob/4	Gas burner/4	Inductions/3
Ignition	-		-
Oven			
Oven type	Electric oven	Electric oven	Electric oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports		-	
Catalytic liners (irreplaceable)	0	0	
Cover plate & Oven door			
Glass cover plate/backsplash	•	▶/-	It
Enamel door		•	•
Full glass door	•	-	-
Removable door plate		•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	●/-/-	●/-/-	H/●/-
Pull out drawer/fixed drawer/flap down drawer	●/-/-	●/-/-	-/•/-
Adjustable feet	•	•	•
Oven lamp	•	•	•
Oven thermostat	-		-
Cooktop flame extinguish protection			
Handle material	Alloy	Alloy	Alloy
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	2
Technical data			
Oven dimensions in mm (WxDxH)	600*600*850	600*600*850	600*600*850
Packing dimensions in mm (WxDxH)	640*700*910	640*700*910	640*700*910
Loading quantity (201/401/40 HQ)	54/108/150	54/108/150	54/108/150











Model	36QME5RP48	36QMG5G048	36QMG5GP48
Platform	90*60: ME	90*60: ME	90*60: ME
Color	Stainless steel	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Ceramic hob/5	Gas burner/5	Gas burner/5
Ignition	-	One-hand electric ignition	One-hand electric ignitio
Oven			
Oven type	Electric oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support		-	
Multi-rack support	•	•	•
Cast iron pan supports		•	•
Catalytic liners (irreplaceable)	0	0	0
Cover plate & Oven door			
Glass cover plate/backsplash	-/•	●/-	●/-
Enamel door			
Full glass door	•	•	•
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	-/-/● (3 buttons)	▶/-/-	●/-/-
Pull out drawer/fixed drawer/flap down drawer	-/-/●	-/-/●	-/-/•
Adjustable feet	•	•	•
Oven lamp	•	•	•
Oven thermostat	•	•	•
Cooktop flame extinguish protection		•	•
Handle material	Alloy	Alloy	Alloy
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Oven dimensions in mm (WxDxH)	895x600x769	895x600x769	895x600x769
Packing dimensions in mm (WxDxH)	956*687*845	956*687*845	956*687*845
Loading quantity (201/401/40 HQ)	40/ 82/ 126	40/82/126	40/82/126



Model	24EME4R106
Platform	90*60: EU
Color	Black
Control types	Mechanical contro
Cooktop	
Hob type/No. of burner	Ceramic hob/4
Ignition	
Oven	
Oven type	Electric oven
Cavity	
Enamel interior	•
Molded rack support	•
Multi-rack support	-
Cast iron pan supports	
Catalytic liners (irreplaceable)	-
Cover plate & Oven door	
Glass cover plate/backsplash	
Enamel door	
Full glass door	•
Removable door plate	•
Convenience and safety	
Mechanical timer/eltectric timer/digital timer	-/-/● (5 buttons)
Pull out drawer/fixed drawer/flap down drawer	-/-/-
Adjustable feet	•
Oven lamp	•
Oven thermostat	-
Cooktop flame extinguish protection	-
Handle material	Alloy
Accessories	
Enamel baking tray	0
Rotisserie spit	
Technical data	
Oven dimensions in mm (WxDxH)	898x598x600
Packing dimensions in mm (WxDxH)	640*700*910
Loading quantity (20'/40'/40 HQ)	54/108/150







20AMG4G001

- Mechanical control

- Mechanical control
 Gas oven
 4 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fixed drawer
 Plastic handle





20AMG4G037

- Mechanical control
 Gas oven
 4 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Backenlash Backsplash
 Oven thermostat
 Enamel door
 Fixed drawer
 Bakelite handle



20AMG4G005

- Mechanical control

- Mechanical control
 Gas oven
 4 gas burners
 Cooktop fame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fixed drawer
 Plastic handle



20BMG4G007

- 20BMG4G007

 Mechanical control

 Gas oven

 4 gas burners

 Two-hand electric ignition

 Glass cover plate

 Oven thermostat

 Enamel door

 Fixed drawer

 Painting handle



20BMG4G057

- Mechanical control Gas oven 4 gas burners Two-hand electric ignition Glass cover plate Enamel door Fixed drawer

- Enamel doorFixed drawerPainting handle



20BMG4P007

- Mechanical control Gas oven 2 gas burners + 2 hotplates Two-hand electric ignition Metal cover Enamel door

- Fixed drawer Painting handle



20BMG4G059

- Mechanical control Gas oven 4 gas burners Two-hand electric ignition Backsplash Enamel door Fixed drawer

- Painting handle



20BMG4Q007

- Mechanical control Gas oven 3 gas burner + 1 hotplate Two-hand electric ignition Metal coder

- Enamel door Fixed drawer Painting handle





24AMG4G001

- Mechanical control

- Gas oven
 4 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fixed drawer
 Painting handle



- Mechanical control
- Gas oven
 4 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Painting handle



24BMG4G057

- Mechanical control Gas oven

- Gas oven
 Gas burners
 Gas burners
 Two-hand electric ignition
 Glass cover plate
 Enamel door
 Fixed drawer
 Painting handle



24BMG4G059

- Z4BMG4GUS9

 Mechanical control

 Gas oven

 4 gas burners

 Cooktop flame extinguish protection

 Two-hand electric ignition

 Glass cover plate

 Enamel door

 Fix drawer

 Painting handle

24LMG4G013

24LMG4G013

Mechanical control
Gas oven
4 gas burners
Two-hand electric ignition
Glass cover plate
Oven thermostat
Enamel door
Fold down drawer
Alloy handle



24AMG4G037

24LMG4G027

24LMG4G027

Mechanical control
Gas oven
4 gas burners
Cooktop flame extinguish protection
Two-hand electric ignition
Glass cover plate
Oven thermostat
Enamel doo
Fixed drawer
Bakelite handle

- 24AMG4G037

 Mechanical control
 Gas oven
 4 gas burners

 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Bakelite handle



24AMG4G054

- 24AMG4G054

 Mechanical control
 Gas oven
 4 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Alloy handle

W: 0

30AMG5G001

SOAMGSGOOT

Mechanical control

Gas oven

5 gas burners

Cooktop flame extinguish protection

Two-hand electric ignition

Glass cover plate

Oven thermostat

Enamel door

Fold down drawer

Painting handle



24LMG4G009

- 24LMG4G009

 Mechanical control
 Gas oven
 4 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Alloy handle

110 000

30AMG5G027

- 3OAMG5G027

 Mechanical control
 Gas oven
 5 gas burners
 Coolctop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Bakelite handle

30AMG5G054

- SOAMGSGOS4

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Glass cover plate
 Enamel door
 Fold down drawer
 Alloy handle



30AMG5G005

- Mechanical control

- Mechanical contro
 Gas oven
 S gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Painting handle



30AMG5G009

- SUAPICSOUCE

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Bakelite handle





36LMG5G022

- SGLMG5G022

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Stainless steel handle



36LMG5G024

- S6LMC5G024

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Stainless steel handle



36LMG5G028

- S6LMG5G028

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Stainless steel handle



36LMG5G030

- 36LMG5G030

 Mechanical control
 Gas oven
 5 gas burners
 Cooktop flame extinguish protection
 Two-hand electric ignition
 Glass cover plate
 Oven thermostat
 Enamel door
 Fold down drawer
 Stainless steel handle











Model	20AMG4G001	20AMG4G005	20AMG4G037
Platform	20 inch: SA	20 inch: SA	20 inch: SA
Color	Stainless steel+ Silver	Stainless steel+ Silver	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/4	Gas burner/4	Gas burner/4
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	0	0	O
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	•/-/-	●/-/-	-/-/•
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	●/-/-	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	- /● /-	-/●/-	-/●/-
Adjustable feet	-	-	-
Oven lamp	•	•	•
Oven thermostat	•	•	•
Flame failure protection	•	•	•
Handle material	Plastic	Plastic	Bakelite
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Product dimensions in mm (WxDxH)	520*580*900	520*580*900	520*580*900
Packing dimensions in mm (WxDxH)	560*605*985	560*605*985	560*605*985
Loading quantity (20'/40'/40 HQ)	76/160/206	76/160/206	76/160/206









Model	20BMG4G007	20BMG4G057	20BMG4G059
Platform	50*50: SA (20B)	50*50: SA (20B)	50*50: SA (20B)
Color	Stainless steel	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/4	Gas burner/4	Gas burner/4
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	-	-	0
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	-/-/•	●/-/-	-/-/●
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	•/-/-	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	-/●/-	-/●/-	-/●/-
Adjustable feet	•	•	•
Oven lamp	•	•	•
Oven thermostat	-	-	-
Flame failure protection	-	-	-
Handle material	Painting	Painting	Painting
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Product dimensions in mm (WxDxH)	495*556*850	495*556*850	495*556*850
Packing dimensions in mm (WxDxH)	540*575*885	540*575*885	540*575*885
Loading quantity (20'/40'/40 HQ)	104/228/262	104/228/262	104/228/262







Model	20BMG4P007	20BMG4Q007
Platform	50*50: SA (20B)	50*50: SA (20B)
Color	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control
Cooktop		
Hob type/No. of burner	Gas burner/2 + Hot plate/2	Gas burner/3 + Hot plat
Ignition	Two-hand electric ignition	Two-hand electric ignition
Oven		
Oven type	Gas oven	Gas oven
Cavity		
Enamel interior	•	•
Molded rack support	•	•
Multi-rack support	•	•
Cast iron pan supports	-	-
Catalytic liners (irreplaceable)	-	-
Cover plate & Oven door		
Glass cover plate/metal cover plate/backsplash	-/•/-	-/●/-
Enamel door	•	•
Full glass door	-	-
Removable door plate	•	•
Convenience and safety		
Mechanical timer/eltectric timer/digital timer	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	-/•/-	-/•/-
Adjustable feet	•	•
Oven lamp	•	•
Oven thermostat	-	-
Flame failure protection	-	-
Handle material	Painting	Painting
Accessories		
Enamel baking tray	0	0
Rotisserie spit	-	-
Technical data		
Product dimensions in mm (WxDxH)	495*556*850	495*556*850
Packing dimensions in mm (WxDxH)	540*575*885	540*575*885
Loading quantity (20'/40'/40 HQ)	104/228/262	104/228/262









Model	24AMG4G001	24AMG4G005	24AMG4G037
Platform	24 inch: SA	24 inch: SA	24 inch: SA
Color	Stainless steel	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/4	Gas burner/4	Gas burner/4
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignitio
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	0	0	-
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	●/-/-	●/-/-	●/-/-
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	●/-/-	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	-/●/-	-/-/●	-/-/•
Adjustable feet	-	ē	-
Oven lamp	•	•	•
Oven thermostat	•	•	•
Flame failure protection	•	•	-
Handle material	Painting	Painting	Bakelite
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	-
Technical data			
Product dimensions in mm (WxDxH)	600*570*810	600*580*900	600*580*900
Packing dimensions in mm (WxDxH)	635*575*878	640*605*985	640*605*985
Loading quantity (20'/40'/40 HQ	72/144/214	54/114/156	54/114/156









Model	24AMG4G054	24BMG4G057	24BMG4G059
Platform	24 inch: SA	24 inch: SA	24 inch: SA
Color	Stainless steel	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/4	Gas burner/4	Gas burner/4
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	0	0	O
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	●/-/-	●/-/-	●/-/-
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	●/-/-	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	-/-/•	-/●/-	-/ ● /-
Adjustable feet	-	•	•
Oven lamp	•	•	•
Oven thermostat	•	-	
Flame failure protection	•	=	×
Handle material	Alloy	Painting	Painting
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Product dimensions in mm (WxDxH)	600*580*920	600*570*810	600*570*810
Packing dimensions in mm (WxDxH)	655*625*1010	635*575*878	635*575*878
Loading quantity (20'/40'/40 HQ)	54/114/155	72/144/214	72/144/214









Model	24LMG4G009	24LMG4G013	24LMG4G027
Platform	24inch: SA (L)	24inch: SA (L)	24inch: SA (L)
Color	Stainless steel	Stainless steel	White/Silver
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/4	Gas burner/4	Gas burner/4
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	0	0	0
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	•/-/-	●/-/-	●/-/-
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	•/-/-	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	-/- /●	-/-/●	-/●/-
Adjustable feet	•	•	•
Oven lamp	•	•	•
Oven thermostat	•	•	•
Flame failure protection	•	-	•
Handle material	Alloy	Alloy	Bakelite
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	-	•
Technical data			
Product dimensions in mm (WxDxH)	600x570x810	600x580x810	600x570x810
Packing dimensions in mm (WxDxH)	635x575x878	635x605x885	635x575x878
Loading quantity (20'/40'/40 HQ)	72/144/214	54/114/171	72/144/214









Model	30AMG5G001	30AMG5G005	30AMG5G009
Platform	30 inch: SA	30 inch: SA	30 inch: SA
Color	Stainless steel	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/5	Gas burner/5	Gas burner/5
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	0	0	0
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	●/-/-	●/-/-	●/-/-
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	•/-/-	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	-/-/•	-/-/●	-/-/●
Adjustable feet		-	•
Oven lamp	•	•	•
Oven thermostat	•	•	•
Flame failure protection	•	•	•
Handle material	Painting	Painting	Bakelite
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Product dimensions in mm (WxDxH)	760*580*900	760*580*900	760*580*900
Packing dimensions in mm (WxDxH)	805*605*985	805*605*985	805*605*985
Loading quantity (20'/40'/40 HQ)	50/104/132	50/104/132	50/104/132









Model	30AMG5G027	30AMG5G054	36LMG5G022
Platform	30 inch: SA	30 inch: SA	36 inch: SA (L)
Color	Stainless steel	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/5	Gas burner/5	Gas burner/5
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	0	0	0
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	●/-/-	●/-/-	●/-/-
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	•/-/-	●/-/-	●/-/-
Pull out drawer/fixed drawer/fold down drawer	-/-/●	-/-/●	-/-/●
Adjustable feet	•	•	•
Oven lamp	•	•	•
Oven thermostat	•	•	•
Flame failure protection	•	•	•
Handle material	Bakelite	Alloy	Stainless steel
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Product dimensions in mm (WxDxH)	760*580*900	760*580*920	900*580*769
Packing dimensions in mm (WxDxH)	805*605*985	820*625*1010	936*696*845
Loading quantity (20'/40'/40 HQ)	50/104/132	50/104/127	40/80/120









Model	36LMG5G024	36LMG5G028	36LMG5G030
Platform	36 inch: SA (L)	36 inch: SA (L)	36 inch: SA (L)
Color	Stainless steel/White	Stainless steel	Stainless steel
Control types	Mechanical control	Mechanical control	Mechanical control
Cooktop			
Hob type/No. of burner	Gas burner/5	Gas burner/5	Gas burner/5
Ignition	Two-hand electric ignition	Two-hand electric ignition	Two-hand electric ignition
Oven			
Oven type	Gas oven	Gas oven	Gas oven
Cavity			
Enamel interior	•	•	•
Molded rack support	•	•	•
Multi-rack support	•	•	•
Cast iron pan supports	0	0	0
Catalytic liners (irreplaceable)	0	0	Ο
Cover plate & Oven door			
Glass cover plate/metal cover plate/backsplash	▶/-/-	D /-/-	▶/-/-
Enamel door	•	•	•
Full glass door	-	-	-
Removable door plate	•	•	•
Convenience and safety			
Mechanical timer/eltectric timer/digital timer	▶/-/-) /-/-	▶ /-/-
Pull out drawer/fixed drawer/fold down drawer	-/-/ ●	-/-/●	-/-/●
Adjustable feet	•	•	•
Oven lamp	•	•	•
Oven thermostat	•	•	•
Flame failure protection	•	•	•
Handle material	Stainless steel	Stainless steel	Stainless steel
Accessories			
Enamel baking tray	0	0	0
Rotisserie spit	•	•	•
Technical data			
Product dimensions in mm (WxDxH)	900*580*769	900*580*769	900*580*769
Packing dimensions in mm (WxDxH)	936*696*845	936*696*845	936*696*845
Loading quantity (20'/40'/40 HQ)	40/80/120	40/80/120	40/80/120



60CM Slim Cooker Hood

60F17



FEATURES

- + Stainless Steel
- + Push Button
- + Three Speeds
- + 1 x 1.5(W) LED light
- + Charcoal Cotton
- + Cold rolled Plate + Three Layers Aluminum Grease Filter
- + Exterior or Recirculating Venting
- + CB Certificate

SPERCIFICATIONS

- + Maximum air flow (m³/h): 180
- + Maximum motor power (W): 100

DIMENSIONS

- + Product (W x D x H, mm): 600 x 440 x 80
- + Package (W x D x H, mm): 640 x 125 x 495
- + Loading (20'/40'/40HQ): 780/1578/1747



60CM Stainless Gas Hob

60SJ401

FEATURES

220-240V 50-60Hz 2W Total Heat Input: 8.1 kw (SABAF)

Burners: Sabaf Valve: Chant

Width*Depth: 590*500
Installation Size: 560*480
Pan Support: Cast Iron
Knob Material: Plastic
Top Plate: Stainless Steel
Gas Type: LPG or NG
Flame Failure Device

Triple ring/Wok burner: 3.6kw (SABAF) x1 Semi

rapid Burner: 1.75kw x 2 Auxiliary Burner: 1.0kw x 1





British Plug



PK04 Knob

DIMENSIONS

+ Product (W x D x H, mm): 590 x 500 x 95 + Package (W x D x H, mm): 648 x 559 x 162 + Loading (20'/40'/40HQ): 518/1050/1200



60CM Glass Gas Hob

60GJ084

FEATURES

220

240V 50 60Hz 2W

Total Heat Input: 8.1 kw (SABAF)

Burners:Sabaf Valve: Chant

Width*Depth: 600*510 Installation Size: 560*480 Pan Support: Cast Iron Knob Material: Plastic

Top Plate: Glass Gas Type: LPG or NG Flame Failure Device

Triple ring/Wok burner: 3.6kw (SABAF) x1 Semi

rapid Burner: 1.75kw x 2 Auxiliary Burner: 1.0kw x 1

DIMENSIONS

+ Product (W x D x H, mm): 600 x 510 x 110

+ Package (W x D x H, mm): 648 x 559 x 162

+ Loading (20'/40'/40HQ): 518/1050/1200





British Plug

PK04 Knob